


Model #

1150GBCH

Cascade

6-Drawer Lingerie Chest

Glazed Black Cherry finish
Assembly Instructions



Congratulations!

This fine piece of furniture will make a gorgeous addition to your home. For the best results, read the Assembly Instructions before you begin your project.

IMPORTANT NOTES:

- For normal household use only. *Not* recommended to use this product in a commercial setting.
- Do not climb, sit or stand on or in this piece of furniture.
- Do not overload the drawers.
- Unload items before you move this unit.
- Before you load or move this unit, tighten all screws and supports.
- Before you begin your project, completely read the Assembly Instructions.
- Store this item: 1- in its box; 2- in a dry place; 3- in temperatures that range from 40°F to 90°F (not on a cold and possibly damp cement floor).
- Periodically inspect your furniture for any loose glue joints, screws or any other problem that might affect the stability of your furniture. Tighten or repair as needed.

! WARNING

Serious or fatal crushing injuries can occur from furniture tip-over. To help prevent tip-over:

- Place heaviest items in the bottom drawers.
- Unless specifically designed to accommodate, do not set TVs or other heavy objects on top of this product.
- Never allow children to climb or hang on drawers, doors or shelves.
- Never open more than one drawer at a time.

Properly installing tip-over restraints may reduce but does not eliminate the risk of tip-over.

DESIGN SUBJECT TO CHANGE WITHOUT NOTICE



CALL US FIRST! Do not return this item to the store

Service Policy: We will replace any part that is defective, missing or damaged during assembly. For a replacement part, contact Whittier Wood Products customer service department by phone, fax, mail or email.

Hours: Our friendly customer service staff can be reached Monday-Friday 7:00 a.m. to 5:00 p.m. (Pacific Time). You may leave a message 24 hours a day, seven days a week.

To Order: Provide the furniture model number (upper portion of this page), the part letter, production code, quantity needed, reason for replacement and your full name, address and telephone number.

Parts ship from our Eugene, Oregon factory within one or two business days from the time we receive your request. Please allow five to ten business days for delivery

800-653-3336 • Outside the U.S. or Canada: 541-687-0213 • Fax: 541-687-2060
www.whittierwood.com • P.O. Box 2827 • Eugene, Oregon 97402, U.S.A.

Whittier
Wood
FURNITURE

P.O. Box 2827
Eugene, OR 97402 USA

Production Code:





VN

03/12

1150GBCH Cascade 6-Drawer Lingerie Chest

Parts List

Please identify the parts and check that quantities received match those on this list.
If you need to replace a part, refer to the following letter(s) and part name.

Part	Description		Quantity
A	Top Assembly (attached)		1
B	Case		1
C	Small Upper Drawer Box (inserted)		2
D	Medium Small Upper Drawer Box (inserted)		1
E	Medium Large Upper Drawer Box (inserted)		1
F	Large Upper Drawer Box (inserted)		1
G	Large Bottom Drawer Box (inserted)		1
H	Small Upper Drawer Face (installed)		2
I	Medium Small Upper Drawer Face (installed)		1
J	Medium Large Upper Drawer Face (installed)		1
K	Large Upper Drawer Face (installed)		1
L	Large Bottom Drawer Face (installed)		1
M	Small Pull (attached)		5
N	#8 x 1-1/2" Machine Screw (installed)		10
O	Large Pull (attached)		1
P	#8 x 1-1/4" Machine Screw (installed)		2
Q	Drawer Slides (pre-installed sets)		6
R	#6 x 1/2" Philtruss Screw (inserted)		36
S	#6 x 3/4" Philtruss Screw (inserted)		36
T	Insert Nut (inserted)		4
U	Adjustable Glide (installed)		4
V	#8 x 7/8" Lo-Profile Screw (inserted)		36
W	#8 x 1-1/4" Pan Head Screw (inserted)		18
X	#8 x 1-1/4" Black Screw (inserted)		6
TR	Furniture Tipping Restraint		1 set

1150GBCH Cascade 6-Drawer Lingerie Chest

Assembly Instructions

Tool Required: Phillips Screwdriver

1. Place the chest at its final destination. Rotate the Adjustable Glides (U) on the bottoms of the legs until the unit is level. See Figure 1.




Fig. 1

2. **Tipping restraint:** Locate a stud in the wall behind the unit. Attach a Clip (T1) to the wall stud with two #8 x 2" Black Screws (T3). See Figure 2a. Attach the second clip to the unit with two #8 x 1" Pan Head Screws (T4). See Figure 2b. Connect the two clips with the Nylon Restraint Strap (T2). Pull the Nylon Restraint Strap (T2) tight so there is no slack. See Figures 2c and 2d. If you cannot locate a stud, purchase the proper wall attachment hardware for your type of wall and secure the unit.

Fig. 2a





Fig. 2c



Pull the Nylon Restraint Strap (T2) tight so there is no slack.

Pull tight




Fig. 2d





Fig. 2b