


Model #

3524DUETb

Addison Lift-Top Coffee Table

Duet finish

Assembly Instructions



Thank you for allowing us to help you furnish your home. We are certain you will be delighted with your new furniture for many years to come.

IMPORTANT NOTES:

- Wood can be susceptible to changing color over time when exposed to strong sunlight. Use window shades, drapes or blinds to protect your furniture. To help the surface age evenly and avoid dark and light spots, periodically move items to expose the entire surface to an even amount of light so it may develop a uniform patina.
- For normal household use only. *Not* recommended for commercial use.
- Do not climb, sit or stand on this piece of furniture.
- Unload items before you move this unit.
- Do not overload the drawers.
- This assembly requires two people.

WARNING

Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the state of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection.

For more information go to: www.p65warnings.ca.gov/wood

This product can expose you to chemicals, including formaldehyde, which are known to the State of California to cause cancer.

For more information go to: www.p65warnings.ca.gov/furniture

DESIGN SUBJECT TO CHANGE WITHOUT NOTICE.

CUSTOMER SERVICE

If you ever have questions about your furniture, please do not hesitate to contact us. In the unlikely event you need a replacement part; we can make those parts available through an authorized Whittier Wood Furniture dealer. If you cannot order replacement parts through your dealer, please contact our customer service department.

Hours: Our friendly customer service staff can be reached:

Monday-Friday 8:00 a.m. to 5:00 p.m. (Pacific Time).

You may leave a message 24 hours a day, seven days a week.

Customer Service: 800-653-3336 • **Outside the U.S.:** 541-687-0213

Fax: 541-687-2060 • **Email:** info@whittierwood.com

**Whittier
Wood**
FURNITURE

P.O. Box 2827
Eugene, OR 97402 USA

Production Code:





VN

08/20

3524DUETb Addison Lift-Top Coffee Table

Parts List

Please identify the parts and check that quantities received match those on this list.
If you need to replace a part, refer to the following letter and part name.

Part	Description		Quantity
A	Top Assembly (attached)		1
Ba	Case Assembly		1
C	Drawer (inserted)		2
D	Drawer Face (installed)		2
E	Tray Assembly (attached)		1
F	Base (attached)		1
G	16" Drawer Slide (installed sets)		2
H	#6 x 3/4" Philtruss Screw (inserted)		28
I	#6 x 1/2" Philtruss Screw (inserted)		12
J	#8 x 1-1/8" Lo-Profile Screw (inserted)		12
K	#8 x 1-1/4" Pan Head Screw (inserted)		32
L	#8 x 7/8" Black Lo-Profile Screw (inserted)		8
M	#8 x 1-3/4" Pan Head Screw (inserted)		14
N	#8 x 1-5/8" Black Screw (inserted)		19
O	#8 x 1-5/8" Machine Screw Tuscan (installed)		4
P	1/4" x 20mm Insert Nut (inserted)		4
Q	5/32" x 10mm Insert Nut (inserted)		4
R	Black Walnut Pull (attached)		2
S	Velvet Pad 100 x 38mm (attached)		4
U	Lift Up Mechanism (attached)		1
V	Short Spring (installed)		2
W	Slotted Leveler (installed)		4
X	Leveler Adjustment Key (attached to Owners Manual)		1

3524DUETb Addison Lift-Top Coffee Table

Assembly Instructions

Tool Required: Phillips Screwdriver.

Tool Provided: Leveler Adjustment Key in the Zip bag taped to the Owner's Manual and Safety Guide.

1. Remove screws from the plywood supports and side aprons. Recycle or discard. See Figure 1.




Fig. 1

2. Firmly hold the lift top closed and turn the table upright. Place the unit at its final destination. Use the Leveler Adjustment Key (X), found in the Zip bag taped to the Owner's Manual and Safety Guide to rotate the Slotted Levelers (W) on the bottoms of the legs until the unit is level. See Figures 2 and 2a.




Fig. 2




Fig. 2a

3524DUETb Addison Lift-Top Coffee Table

Assembly Instructions

3. To remove the Drawers (C) from the Case (Ba), pull up on the left side of the Drawer Release Lever while pushing down on the right Drawer Release Lever. See Figure 3 and 3a. Note where each drawer came from to ensure correct installation.

