


Model #

5202AFGMS Ambierle Coffee Table

Glazed Millstone finish
Assembly Instructions



IMPORTANT NOTES:

- For normal household use only. *Not* recommended for commercial use.
- Do not climb, sit or stand on this piece of furniture.
- Do not overload the drawers.
- Unload items before you move this unit.
- Before you load or move this unit, tighten all screws and supports.
- Before you begin your project, completely read the Assembly Instructions.
- Store this item: 1- in its box; 2- in a dry place; 3- in temperatures that range from 40°F to 90°F (not on a cold and possibly damp cement floor).
- Periodically inspect your furniture for any loose glue joints, screws or any other problem that might affect the stability of your furniture. Tighten or repair as needed.
- This assembly requires two people.

WARNING

Notice to California Customers

California Prop 65 requires consumer goods to be labeled if any one of 850+ different chemicals or substances, including wood dust, is present even in trace amounts. Drilling, sawing, sanding or machining wood products generates wood dust, a substance known to the State of California to cause cancer. **Warning:** This product contains a chemical or substance known to the State of California to cause cancer, birth defects or other reproductive harm. *California Health and Safety Code Section 25249.6*

DESIGN SUBJECT TO CHANGE WITHOUT NOTICE.

Congratulations!

This fine piece of furniture will make a gorgeous addition to your home. For the best results, read the Assembly Instructions before you begin your project.

 **CALL US FIRST!** *Do not return this item to the store*

Service Policy: We will replace any part that is defective, missing or damaged during assembly. For a replacement part, directly contact Whittier Wood Products customer service department by phone, fax, mail or email.

Hours: Our friendly customer service staff can be reached Monday-Friday 7:00 a.m. to 5:00 p.m. (Pacific Time). You may leave a message 24 hours a day, seven days a week.

To Order: Provide the finish and furniture model number (upper portion of this page), the part letter, production code, quantity needed, reason for replacement and your full name, address and telephone number.

Parts ship from our Eugene, Oregon factory within one or two business days from the time we receive your request. Please allow five to ten business days for delivery.

800-653-3336 • Outside the U.S. or Canada: 541-687-0213 • Fax: 541-687-2060
www.whittierwood.com • P.O. Box 2827 • Eugene, Oregon 97402, U.S.A.



P.O. Box 2827
Eugene, OR 97402 USA

Production Code:






VN

03/14

5202AFGMS Ambierle Coffee Table

Parts List

Please identify the parts and check that quantities received match those on this list.
If you need to replace a part, refer to the following letter and part name.

Part	Description		Quantity
A	Case Assembly		1
B	Leg		4
C	Drawer Box (inserted)		2
D	Drawer Face (installed)		4
E	Adjustable Glide with Hex Nut (installed)		2
F	#8 x 1-3/8" Lo-Profile Screw (inserted)		13
G	#8 x 1-1/4" Pan Head Screw (inserted)		42
H	#8 x 7/8" Black Lo-Profile Screw (inserted)		19
I	#8 x 1-1/4" Black Screw (inserted)		6
J	#8 Washer (inserted)		6
K	3/8" x 1" Insert Nut (inserted)		8
L	5/16" x 3/4" Insert Nut (inserted)		2
M	1/4" x 20mm Insert Nut (inserted)		4
N	Adjustable Glide (installed)		4
O	Knob (attached)		4
P	#8 x 1-1/4" Machine Screw (installed)		4
Q	5/16" Flat Washer		8
R	3/8" x 2-1/2" Hex Bolt		8

5202AFGMS Ambierle Coffee Table

Assembly Instructions

Tools Required: Phillips Screwdriver, 9/16" or Adjustable Wrench

1. Turn the unit upside down on a clean, protected surface. The Adjustable Glides with hex nuts (E) are used as drawer stops, loosen the glides until you are able to remove the drawers (C) from the unit and set them aside.



Fig. 1a





Fig. 1



2. Place two Legs (B) at the front corners of the Case Assembly (A) making sure the drilled corners of the legs face toward the Corner Blocks. Insert two 3/8" x 2-1/2" Hex Bolts (R) with two Flat Washers (Q) through the Corner Blocks and into the leg and fasten securely. See Figures 2 and 2a. Repeat for the other two legs.



Fig. 2a







Fig. 2

5202AFGMS Ambierle Coffee Table

Assembly Instructions

- Turn the table upright and insert the Drawers (C).



- Place the table at its final destination. To level the table, rotate the Adjustable Glide (N) found at the bottom of each leg assembly. See Figure 3.
- The drawers were designed to open fully from either side. If you chose to use the table in this way, leave the Adjustable Glide with Hex nut (E) loose after you insert the drawers. If you wish the drawers to stop and open partially, tighten the Adjustable Glide with Hex nut (E). See Figures 5 and 5a.




Fig. 5a

